



Product Service

CERTIFICATE

No. Z2 108181 0003 Rev. 00

Model(s):

ET-M672xxxWW, ET-M672xxxWB
 (xxx=370 to 385 in step of 5);
 ET-M660xxxWW, ET-M660xxxWB
 (xxx=310 to 320 in step of 5);
 ET-M672BHxxxWW, ET-M672BHxxxWB
 (xxx=380 to 400 in step of 5);
 ET-M660BHxxxWW, ET-M660BHxxxWB
 (xxx=320 to 330 in step of 5).
 xxx is standing for rated output power at STC
 The suffix WW is standing for silvery frame and white backsheet.
 The suffix WB is standing for black frame and white backsheet.

Parameters:

| | |
|-------------------------|--|
| Construction: | Framed with Junction box, Cable and Connectors. |
| Test Laboratory: | Yangzhou Opto-Electrical Products Testing Institute No.10 West Kaifa Road, Yangzhou 225009 Jiangsu, P. R. China |
| Safety Class: | Class II |
| Maximum System Voltage: | 1500 V DC |
| Fire Safety Class: | Class C according to UL790. |

Tested according to:

IEC 61215-1(ed.1)
 IEC 61215-1-1(ed.1)
 IEC 61215-2(ed.1)
 IEC 61730-1(ed.2)
 IEC 61730-2(ed.2)

Production Facility(ies):

101631

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT

